




Introduction into Computer Security

what is “computer security”?


- security -- “safety, or **freedom from worry**”
- thesaurus: peace of mind, feeling of safety, stability, certainty, happiness, confidence.
 - where does it come from?
- how can it be achieved?
 - make computers too **heavy** to steal
 - buy **insurance**
 - create **redundancy** (disaster recovery services)

it's all about risk management



$$\text{Risk} = \text{Asset} \times \text{Vulnerability} \times \text{Threat}$$

example




- able to read read 36pt font from a distance of 10 meters
- equipment cost \$12K



source: "Tempest in a Teapot: Compromising Reflections Revisited" by Michael Backes, Tongbo Chen, Markus Duermuth, Hendrik P.A. Lensch, Martin Welk, in 2009 IEEE Symposium on Security and Privacy

what can be done about risk?

- avoid
- transfer
- reduce
- accept



Source: Common Criteria for Information Technology Security Evaluation. 1999

example: corner store

analyze and suggest

1. assets at risk and their value
2. threats to these assets
3. threat agents
4. risk management



classes of threats

● disclosure

- snooping

● deception

- modification
- spoofing
- repudiation of origin
- denial of receipt

● disruption

- modification
- denial of service

● usurpation

- modification
- spoofing
- delay
- denial of service

goals of computer security

- **deterrence**

- Deter attacks

- **prevention**

- Prevent attackers from violating security policy

- **detection**

- Detect attackers' violation of security policy

- **recovery**

- Stop attack, assess and repair damage
- Continue to function correctly even if attack succeeds

- **investigation**

- Find out how the attack was executed: forensics
- Decide what to change in the future to minimize the risk

Solovki Monastery, White Sea, Russia



Monday, September 3, 2012



Monday, September 3, 2012

Castle of Chillon



from www.picture-newsletter.com/chillon/



conventional fortress-based security

Goal: Prevent people from violating system's security policy

Means:

Fortification

- provides safety
- involves layering
- expensive
- requires maintenance
- eventually compromised



Some points about fortresses

- no absolute safety
- one weakness/error sufficient
- extra layers at extra cost
- important to understand threats
- limited defender's resources
- adjust to attacks
- resource suppliers
- distinguishing noncombatants from attackers
- containment

limitations of the fortress analogy

fortress

- against external attackers
- protects only insiders
- defences cannot change

computer security

- control of insiders
- has to keep system usable
- has to protect from new types of attacks

what computer security policies are concerned with?

- **Confidentiality**

- keeping data and resources hidden

- **Integrity**


- data integrity (integrity)
- origin integrity (authentication)

- **Availability**

- enabling access to data and resources


CIA

conventional approach to computer security



Protection

provided by a set of mechanisms
(**countermeasures**) to prevent bad things
(**threats**) from happening




Authorization

protection against breaking rules


Rule examples:

- Only registered students should be able to take exam or fill out surveys
- Only the bank account owner can debit an account
- Only hospital's medical personnel should have access to the patient's medical records
- Your example...



Authorization Mechanisms: Data Protection


- No way to check the rules
 - e.g. telephone wire or wireless networks
- No trust to enforce the rules
 - e.g. MS-DOS



Accountability


You can tell who did what when

- **(security) audit** -- actions are recorded in audit log
- **Non-repudiation** -- evidence of actions is generated and stored




Availability


- **Service continuity** -- you can always get to your resources
- **Disaster recovery** -- you can always get back to your work after the interruption




types of mechanisms



secure



precise



broad



set of reachable
states




set of secure states

Assurance

Set of things the system **builder** and the **operator** of the system do to **convince** you that it is really safe to use.

- the system can **enforce** the policy you are interested in, and
- the system works as **intended**



securing systems


steps of improving security

1. analyze risks
 - asset values
 - threat degrees
 - vulnerabilities
2. develop/change policies
3. choose & develop countermeasures
4. assure
5. go back to the beginning

in the following scenario,
analyze

1. Assets at risk and their value
2. Threats to these assets
3. Threat agents
4. Ways to manage risk

Key Points



key points (cont-ed)

- secure, precise, and broad mechanisms
- Risk = Asset × Vulnerability × Threat
- steps of improving security
- classes of threats
 - disclosure
 - deception
 - disruption
 - usurpation